

# Option pricing under the Merton model of the short rate

James J. Kung<sup>a,\*</sup>, Lung-Sheng Lee<sup>b</sup>

<sup>a</sup> Department of International Business, Ming Chuan University, 250 Chung Shan N. Road, Section 5, Taipei, Taiwan

<sup>b</sup> Department of International Business, Providence University, Taichung, Taiwan

Received 20 April 2009; received in revised form 11 July 2009; accepted 25 July 2009

Available online 3 August 2009

## Abstract

Previous option pricing research typically assumes that the risk-free rate or the short rate is constant during the life of the option. In this study, we incorporate the stochastic nature of the short rate in our option valuation model and derive explicit formulas for European call and put options on a stock when the short rate follows the Merton model. Using our option model as a benchmark, our numerical analysis indicates that, in general, the Black–Scholes model overvalues out-of-the-money calls, moderately overvalues at-the-money calls, and slightly overvalues in-the-money calls. Our analysis is directly extensible to American calls on non-dividend-paying stocks and to European puts by virtue of put-call parity.

© 2009 IMACS. Published by Elsevier B.V. All rights reserved.

**Keywords:** Option pricing; Merton short rate model; Black–Scholes option model; Pricing biases

## 1. Introduction

Since Black and Scholes [2] made an important breakthrough by deriving an exact no-arbitrage pricing formula for European options, many academics have worked on option pricing research and come up with alternative formulas to the original Black–Scholes (B–S) pricing formula. Among these academics are Cox and Ross [5], Merton [21], Roll [22], Cox et al. [6], Geske [8], Lee et al. [15], Whaley [26], Jarrow and Rudd [11], Rubinstein [23], Hull and White [10], Johnson and Shanno [12], Johnson and Stulz [13], Scott [24], Wiggins [27], Duan [7], and Heston and Nandi [9], each making different assumptions about the various factors that affect the price of an option. However, all the above option pricing studies assume that the risk-free rate or the short rate is constant during the life of the option.

The assumption of a constant short rate  $r(t)$  is clearly at odds with reality because, as a matter of fact,  $r(t)$  is evolving randomly over time. Fig. 1 shows the 3-month U.S. Treasury bill rate (often used as a proxy for the short rate) from 1999 to 2008, fluctuating randomly between 0.00 and 0.0625. Hence, in this study, we incorporate its stochastic nature into our option valuation model. Specifically, we use the following stochastic process, first proposed by Merton [19,20], to depict its dynamics and derive explicit pricing formulas for European call and put on a stock.

$$dr(t) = \alpha dt + \sigma dZ_r \quad (1)$$

where  $\alpha$  is the drift in the short rate,  $\sigma$  is the volatility of the short rate, and  $Z_r$  is a standard Wiener process. Henceforth, the stochastic process in Eq. (1) will be referred to as the Merton model of the short rate.

\* Corresponding author.

E-mail addresses: [fnjames@mcu.edu.tw](mailto:fnjames@mcu.edu.tw) (J.J. Kung), [lslee@pu.edu.tw](mailto:lslee@pu.edu.tw) (L.-S. Lee).




Fig. 1. Three-month U.S. Treasury bill rate from 1999 to 2008.




Fig. 2. A sample path of the short rate under the Merton model.

In theory, the Merton model implies a positive probability of negative interest rates. But negative rates are less likely to occur if  $\alpha$  is positive. In addition, most exchange-traded stock options have a maturity of less than 9 months. Hence, using an initial positive value for  $r(t)$  and appropriate values for  $\alpha$  and  $\sigma$ , we can be assured that its expected first-passage time to the origin is longer than 9 months. Fig. 2 shows a sample path of  $r(t)$  over a 1-year duration based on  $r(t)$  = short rate at initial time  $t=0.02$ ,  $\Delta t=0.004$ ,  $\bar{\alpha} = 0.005$ , and  $\bar{\sigma} = 0.02$ , where  $\bar{\alpha}$  and  $\bar{\sigma}$  are estimated by Chan et al. [4] using the generalized method of moments.

There is considerable empirical evidence<sup>1</sup> of systematic biases in the B–S model. For example, Merton [21] points out that the market prices for deep-in-the-money, deep-out-of-the-money, and shorter-maturity calls tend to sell for more than the B–S prices, whereas the market prices for marginally-in-the-money and longer-maturity calls tend to sell for less than the B–S prices. MacBeth and Merville [16] report that the B–S prices are, on average, greater (less) than the market prices for out-of-the-money (in-the-money) calls. In Section 3, we will employ our option valuation model as a benchmark and investigate the pricing biases in the B–S model.

The rest of the paper proceeds as follows: In Section 2, we derive the formula for the price of a riskless zero-coupon bond paying \$1 at maturity based on Eq. (1) and then derive the pricing formulas for European call and put on a stock. In Section 3, we examine how the various parameters of our model affect option prices and investigate the pricing biases in the B–S model when we assume that the correct model involves a stochastic short rate following Eq. (1). Section 4 concludes this research.

## 2. Derivation of option pricing formulas under the Merton model

To proceed, we first derive the pricing formula for a riskless zero-coupon bond under the Merton model in Subsection 2.1 and then, using the bond pricing formula, derive explicit formulas for European call and put options in Subsection 2.2.

<sup>1</sup> See Black [1], Merton [21], MacBeth and Merville [16,17], and Lauterbach and Schultz [14].

2.1. Pricing formula for a zero-coupon bond

Let  $P_b = P_b(r, t, T)$  be the price at time  $t$  of a riskless zero-coupon bond paying \$1 at time  $T$ , where we set  $\tau = T - t$ . That is,  $P_b(r, T, T) = 1$ . Using the Merton model of the short rate in Eq. (1) and applying Ito’s lemma, we have

$$dP_b = \left[ \frac{\partial P_b}{\partial t} + \alpha \frac{\partial P_b}{\partial r} + \frac{1}{2} \sigma^2 \frac{\partial^2 P_b}{\partial r^2} \right] dt + \sigma \frac{\partial P_b}{\partial r} dZ_r \tag{2}$$

Letting  $\mu_b = 1/P_b[\partial P_b/\partial t + \alpha(\partial P_b/\partial r) + 1/2\sigma^2(\partial^2 P_b/\partial r^2)]$ ,  $\sigma_b = -1/P_b[\sigma(\partial P_b/\partial r)] = -\sigma/P_b[\partial P_b/\partial r]$ , and assuming the local expectations hypothesis holds for the term structure of interest rates (i.e.,  $\mu_b = r$ ), we obtain

$$\frac{dP_b}{P_b} = rdt + \sigma_b dZ_r \tag{3}$$

$$\frac{1}{2} \sigma^2 \frac{\partial^2 P_b}{\partial r^2} + \alpha \frac{\partial P_b}{\partial r} + \frac{\partial P_b}{\partial t} - rP_b = 0 \tag{4}$$

To solve Eq. (4) for  $P_b(r, t, T)$ , let  $\tau = T - t$  and  $P_b(r, t, T) = \exp[A(\tau) - rB(\tau)]$ . Then we have  $\partial P_b/\partial r = -B(\tau)P_b$ ,  $\partial^2 P_b/\partial r^2 = B^2(\tau)P_b$ , and  $\partial P_b/\partial t = P_b[(-\partial A(\tau)/\partial t) + r(\partial B(\tau)/\partial t)]$ . Substituting them into Eq. (4) and simplifying, Eq. (4) becomes

$$P_b \left\{ \left[ \frac{1}{2} \sigma^2 B^2(\tau) - \alpha B(\tau) - \frac{\partial A(\tau)}{\partial t} \right] + r \left[ \frac{\partial B(\tau)}{\partial t} - 1 \right] \right\} = 0 \tag{5}$$

Eq. (5) implies that  $1/2\sigma^2 B^2(\tau) - \alpha B(\tau) - (\partial A(\tau)/\partial t) = 0$  and  $\partial B(\tau)/\partial t - 1 = 0$ . Solving for  $A(\tau)$  and  $B(\tau)$ , we have  $A(\tau) = -\alpha\tau^2/2 + \sigma^2\tau^3/6$  and  $B(\tau) = \tau$ . Hence, we obtain a formula for the price at time  $t$  of a riskless zero-coupon bond paying \$1 at maturity  $T$ .

$$P_b(r, t, T) = \exp \left\{ -r\tau - \frac{\alpha\tau^2}{2} + \frac{\sigma^2\tau^3}{6} \right\} \tag{6}$$

2.2. Derivation of explicit formulas for European call and put options

In this study, we assume that there are no transaction costs, margin requirements, and taxes; all securities are divisible; security trading is continuous and borrowing and short-selling are permitted without restriction; there are no dividend payouts over the life of the option; and all investors can borrow or lend at the same short rate. Further, we assume that the stock price follows the following geometric Wiener process:

$$\frac{dP_s}{P_s} = \mu_s dt + \sigma_s dZ_s \tag{7}$$

where  $\mu_s$  and  $\sigma_s$  are constant, and  $Z_s$  is a standard Wiener process. Further, the correlation between  $dZ_r$  and  $dZ_s$  is given by  $\rho$ .

Let  $X$  be the exercise price of the call option and  $c = c(P_s, P_b, \tau; X)$  be the call price, which is a function of the stock price  $P_s$ , the riskless zero-coupon bond price  $P_b$ , and the time to maturity  $\tau$ . By Ito’s lemma, the change in the call price over an infinitesimal time  $dt$  satisfies the following stochastic differential equation:

$$dc = \frac{\partial c}{\partial P_s} dP_s + \frac{\partial c}{\partial P_b} dP_b + \frac{\partial c}{\partial \tau} d\tau + \frac{\partial^2 c}{\partial P_s \partial P_b} (dP_s dP_b) + \frac{1}{2} \left[ \frac{\partial^2 c}{\partial P_s^2} (dP_s)^2 + \frac{\partial^2 c}{\partial P_b^2} (dP_b)^2 \right] \tag{8}$$

Substituting  $dP_s dP_b = \rho\sigma_s\sigma_b P_s P_b dt$ ,  $(dP_s)^2 = \sigma_s^2 P_s^2 dt$ ,  $(dP_b)^2 = \sigma_b^2 P_b^2 dt$ , and  $d\tau = -dt$  into Eq. (8), we have

$$dc = \frac{\partial c}{\partial P_s} dP_s + \frac{\partial c}{\partial P_b} dP_b + \left[ \frac{1}{2} \frac{\partial^2 c}{\partial P_s^2} \sigma_s^2 P_s^2 + \frac{1}{2} \frac{\partial^2 c}{\partial P_b^2} \sigma_b^2 P_b^2 + \frac{\partial^2 c}{\partial P_s \partial P_b} \rho\sigma_s\sigma_b P_s P_b - \frac{\partial c}{\partial t} \right] dt \tag{9}$$

Now we form a hedge portfolio consisting of the stock, the riskless bond, and the call. Let  $Q_s$  be the number of shares of the stock,  $Q_b$  be the number of the bond, and  $Q_c$  be the number of the call. The hedge is formed such that the

value (say,  $H$ ) of the hedge portfolio is zero.<sup>2</sup> That is,  $H \equiv Q_s P_s + Q_b P_b + Q_c c = 0$ . Hence, we have

$$dH = Q_s dP_s + Q_b dP_b + Q_c dc = 0 \tag{10}$$

Substituting Eq. (9) into Eq. (10) and grouping, Eq. (10) becomes

$$dH = Q_c \left[ \frac{1}{2} \frac{\partial^2 c}{\partial P_s^2} \sigma_s^2 P_s^2 + \frac{1}{2} \frac{\partial^2 c}{\partial P_b^2} \sigma_b^2 P_b^2 + \frac{\partial^2 c}{\partial P_s \partial P_b} \rho \sigma_s \sigma_b P_s P_b - \frac{\partial c}{\partial \tau} \right] dt + \left[ Q_c \frac{\partial c}{\partial P_s} + Q_s \right] dP_s + \left[ Q_c \frac{\partial c}{\partial P_b} + Q_b \right] dP_b = 0 \tag{11}$$

Eq. (11) implies that  $Q_c(\partial c/\partial P_s) + Q_s = 0$ ,  $Q_c(\partial c/\partial P_b) + Q_b = 0$ , and

$$\frac{1}{2} \frac{\partial^2 c}{\partial P_s^2} \sigma_s^2 P_s^2 + \frac{1}{2} \frac{\partial^2 c}{\partial P_b^2} \sigma_b^2 P_b^2 + \frac{\partial^2 c}{\partial P_s \partial P_b} \rho \sigma_s \sigma_b P_s P_b - \frac{\partial c}{\partial \tau} = 0 \tag{12}$$

Hence, the price of a European call must satisfy Eq. (12) subject to the following two boundary conditions:  $c(0, P_b, \tau; X) = 0$  and  $c(P_s, 1, \tau; X) = \max(0, P_s - X)$ .

To solve for  $c$  in Eq. (12), we have to transform Eq. (12) to a standard one-dimensional heat equation<sup>3</sup> of the form  $\partial u(x,t)/\partial t = k(\partial^2 u(x,t)/\partial x^2)$ , where  $k$  is some constant. We make use of the linear homogeneity<sup>4</sup> of  $c$  in  $P_s$  and  $XP_b$  so that we can perform such transformation for Eq. (12). Accordingly, we set  $\Theta \equiv \Theta(P_s, P_b, t) \equiv P_s/XP_b$ . By Ito's lemma and Eqs. (3) and (7), the total differential of  $\Theta$  is given by

$$d\Theta = \left[ \frac{\partial \Theta}{\partial P_s} \mu_s P_s + \frac{\partial \Theta}{\partial P_b} r P_b + \frac{\partial \Theta}{\partial t} + \frac{1}{2} \frac{\partial^2 \Theta}{\partial P_s^2} \sigma_s^2 P_s^2 + \frac{1}{2} \frac{\partial^2 \Theta}{\partial P_b^2} \sigma_b^2 P_b^2 + \frac{\partial^2 \Theta}{\partial P_s \partial P_b} \rho \sigma_s \sigma_b P_s P_b \right] dt + \frac{\partial \Theta}{\partial P_s} \sigma_s P_s dZ_s + \frac{\partial \Theta}{\partial P_b} \sigma_b P_b dZ_r \tag{13}$$

Substituting  $\partial \Theta/\partial P_s = 1/XP_b$ ,  $\partial \Theta/\partial P_b = -P_s/XP_b^2$ ,  $\partial \Theta/\partial t = 0$ ,  $\partial^2 \Theta/\partial P_s^2 = 0$ ,  $\partial^2 \Theta/\partial P_b^2 = P_s/XP_b^3$ ,  $\partial^2 \Theta/\partial P_s \partial P_b = -1/XP_b^2$  into Eq. (13) and simplifying, Eq. (13) becomes

$$\frac{d\Theta}{\Theta} = \mu_\Theta dt + \sigma_\Theta dZ_\Theta \tag{14}$$

where  $\mu_\Theta = \mu_s - r + (\sigma_b^2/2) - \rho \sigma_s \sigma_b$  and  $\sigma_\Theta^2 = \sigma_s^2 + \sigma_b^2 - 2\rho \sigma_s \sigma_b$ .

To solve Eq. (12) for  $c(P_s, P_b, \tau; X)$  subject to the two boundary conditions, we use a new variable  $C$  such that  $C \equiv C(\Theta, \tau; X) \equiv c(P_s, P_b, \tau; X)/XP_b$ . That is,  $C$  is the call price<sup>5</sup> expressed in the same units as  $\Theta$ . That is,  $c(P_s, P_b, \tau; X) = XP_b C(\Theta, \tau; X)$ . Then  $\partial^2 c/\partial P_s^2 = (1/XP_b) \partial^2 C/\partial P_s^2$ ,  $\partial^2 c/\partial P_b^2 = (P_s^2/XP_b^3) \partial^2 C/\partial P_s^2$ ,  $\partial^2 c/\partial P_s \partial P_b = (-P_s/XP_b^2) \partial^2 C/\partial P_s^2$ , and  $\partial c/\partial \tau = XP_b(\partial C/\partial \tau)$ . Substituting them into Eq. (12) and simplifying, Eq. (12) becomes

$$\frac{1}{2} \left( \frac{P_s}{XP_b} \right)^2 [\sigma_s^2 + \sigma_b^2 - 2\rho \sigma_s \sigma_b] \frac{\partial^2 C}{\partial P_s^2} - \frac{\partial C}{\partial \tau} = 0 \tag{15}$$

Since  $\Theta^2 = (P_s/XP_b)^2$  and  $\sigma_\Theta^2 = \sigma_s^2 + \sigma_b^2 - 2\rho \sigma_s \sigma_b$ , Eq. (15) becomes

$$\frac{1}{2} \sigma_\Theta^2 \Theta^2 \frac{\partial^2 C}{\partial \Theta^2} - \frac{\partial C}{\partial \tau} = 0 \tag{16}$$

That is,  $C = C(\Theta, \tau; X)$  must satisfy Eq. (16) subject to the following two boundary conditions:  $C(0, \tau; X) = 0$  and  $C(\Theta, 0; X) = \max(0, \Theta - 1)$ .

<sup>2</sup> Operationally, this hedge can be formed by using the proceeds from borrowing at the short rate and short-sales to pay for the long positions.

<sup>3</sup> See, for example, Chapter 6 of Brown and Churchill [3].

<sup>4</sup> See Margrabe [18] for more on linear homogeneity.

<sup>5</sup> This is feasible because  $c(P_s, P_b, \tau; X)$  is homogeneous of degree one in  $P_s$  and  $XP_b$ .

Now defining a new variable  $\Sigma \equiv \int_t^T \sigma_\Theta^2(\varphi)d\varphi$  and, accordingly, defining  $\Phi(\Theta, \Sigma) \equiv C(\Theta, \tau)$ , we have  $\partial^2 C/\partial \Theta^2 = \partial^2 \Phi/\partial \Theta^2$  and  $\partial C/\partial \tau = (\partial \Phi/\partial \Sigma)(\partial \Sigma/\partial \tau) = (\partial \Phi/\partial \Sigma)\sigma_\Theta^2$ . Substituting them into Eq. (16) and simplifying, we have

$$\frac{1}{2}\Theta^2 \frac{\partial^2 \Phi}{\partial \Theta^2} - \frac{\partial \Phi}{\partial \Sigma} = 0 \tag{17}$$

To solve Eq. (17) subject to  $\Phi(0, \Sigma) = 0$  and  $\Phi(\Theta, 0) = \max(0, \Theta - 1)$ , we transform Eq. (17) by making the change of variables  $\theta \equiv \log \Theta + (\Sigma/2)$  and  $u(\theta, \Sigma) \equiv \Phi(\Theta, \Sigma)/\Theta$ . We have  $\Phi(\Theta, \Sigma) = u(\log \Theta + 1/2 \int_t^T \sigma_\Theta^2(\varphi)d\varphi, \int_t^T \sigma_\Theta^2(\varphi)d\varphi)\Theta$ ,  $\partial^2 \Phi/\partial \Theta^2 = 1/\Theta(\partial u/\partial \theta + \partial^2 u/\partial \theta^2)$ , and  $\partial \Phi/\partial \Sigma = \Theta(1/2 \partial u/\partial \theta + \partial u/\partial \Sigma)$ . Substituting them into Eq. (17) and simplifying, Eq. (17) becomes  $\partial u/\partial \Sigma = 1/2(\partial^2 u/\partial \theta^2)$ . For the first boundary condition, note that  $u(\Theta, \Sigma) = \Phi(\Theta, \Sigma)/\Theta = (1/\Theta)C(\Theta, \tau) = 1/\Theta(c/XP_b) = (XP_b/P_s)c/XP_b = c/P_s$ . Thus the first boundary condition is  $|u(\theta, \Sigma)| = (c/P_s) \leq 1$  and the second boundary condition is  $1 - (1/\Theta) = 1 - \exp[-\log \Theta] = 1 - \exp[-\theta]$ , because  $\theta = \log \Theta$  when  $\Sigma = 0$ . Hence,  $u(\theta, \Sigma = 0) = (\Theta - 1)/\Theta = 1 - (1/\Theta) = 1 - \exp[-\theta]$  if  $1 \geq \exp[-\theta]$  and  $\Phi(\theta, \Sigma = 0) = 0$  if  $1 < \exp[-\theta]$ . In sum, our boundary value problem consists of a boundedness condition  $|u(\theta, \Sigma)| \leq 1$  and the following two conditions:

$$\frac{\partial u(\theta, \Sigma)}{\partial \Sigma} = \frac{1}{2} \frac{\partial^2 u(\theta, \Sigma)}{\partial \theta^2} \tag{18}$$

$$\begin{aligned} u(\theta, 0) &= 1 - \exp[-\theta] & \text{if } 1 \geq \exp[-\theta] \\ &= 0 & \text{if } 1 < \exp[-\theta] \end{aligned} \tag{19}$$

Eq. (18) is in standard one-dimensional heat equation and thus can be solved. Let  $u(\theta, \Sigma) = f(\theta)g(\Sigma)$ , where  $f(\theta)$  is some function of  $\theta$  and  $g(\Sigma)$  is some function of  $\Sigma$ . Substituting  $u(\theta, \Sigma) = f(\theta)g(\Sigma)$  into Eq. (18) and simplifying, we obtain

$$\frac{2}{g(\Sigma)} \frac{\partial g(\Sigma)}{\partial \Sigma} = \frac{1}{f(\theta)} \frac{\partial^2 f(\theta)}{\partial \theta^2} \tag{20}$$

That is, the left side of Eq. (20) depends only on  $\Sigma$  and the right side depends only on  $\theta$ . Thus, we can set both sides of Eq. (20) equal to a constant<sup>6</sup>  $-k^2$ , where  $k > 0$ . By simplifying, we obtain the following two ordinary differential equations:

$$\frac{\partial g(\Sigma)}{\partial \Sigma} + \frac{1}{2}k^2 g(\Sigma) = 0 \tag{21}$$

$$\frac{\partial^2 f(\theta)}{\partial \theta^2} + k^2 f(\theta) = 0 \tag{22}$$

Solving Eqs. (21) and (22), we have  $g(\Sigma) = \exp(-1/2k^2 \Sigma)$  and  $f(\theta) = A(\theta) \cos(k\theta) + B(\theta) \sin(k\theta)$ . The linear combination of functions  $u(\theta, \Sigma) = f(\theta)g(\Sigma)$  becomes

$$u(\theta, \Sigma) = \int_0^\infty [A(k) \cos(k\theta) + B(k) \sin(k\theta)] \exp\left(-\frac{1}{2}k^2 \Sigma\right) dk \tag{23}$$

<sup>6</sup> We set both sides of Eq. (20) equal to  $-k^2$ , where  $k > 0$ , in order that the two ordinary differential equations in Eqs. (21) and (22) have continuous eigenvalues  $k^2$ .

If  $A(k) = 1/\pi \int_{-\infty}^{\infty} f(\omega) \cos(k\omega) d\omega$  and  $B(k) = 1/\pi \int_{-\infty}^{\infty} f(\omega) \sin(k\omega) d\omega$ , Eq. (23) is valid according to the Fourier integral theorem. Substituting them into Eq. (23), we obtain<sup>7</sup>

$$\begin{aligned}
 u(\theta, \Sigma) &= \frac{1}{\pi} \int_0^{\infty} \left\{ \int_{-\infty}^{\infty} [\cos(k\omega) \cos(k\theta) + \sin(k\omega) \sin(k\theta)] f(\omega) d\omega \right\} \exp\left(-\frac{1}{2}k^2 \Sigma\right) dk \\
 &= \frac{1}{\sqrt{2\Sigma\pi}} \int_{-\infty}^{\infty} f(\omega) \exp\left(-\frac{(\omega - \theta)^2}{2\Sigma}\right) d\omega
 \end{aligned}
 \tag{24}$$

Letting  $q = (\omega - \theta)/\sqrt{2\Sigma}$ , we have  $\omega = \theta + q\sqrt{2\Sigma}$  and  $d\omega = \sqrt{2\Sigma}dq$ . Substituting  $q = (\omega - \theta)/\sqrt{2\Sigma}$  and Eq. (20) into Eq. (24), we obtain

$$\begin{aligned}
 u(\theta, \Sigma) &= \frac{1}{\sqrt{\pi}} \int_{-\infty}^{\infty} f(\theta + q\sqrt{2\Sigma}) \exp(-q^2) dq = \frac{1}{\sqrt{\pi}} \int_{-\theta/\sqrt{2\Sigma}}^{\infty} [1 - \exp(-\theta - q\sqrt{2\Sigma})] \exp(-q^2) dq \\
 &= \frac{1}{\sqrt{\pi}} \int_{-\theta/\sqrt{2\Sigma}}^{\infty} \exp(-q^2) dq - \frac{1}{\sqrt{\pi}} \int_{-\theta/\sqrt{2\Sigma}}^{\infty} \exp(-\theta - q\sqrt{2\Sigma} - q^2) dq
 \end{aligned}
 \tag{25}$$

To solve Eq. (25), we make another change of variables by letting  $a = \sqrt{2}q$ . Then the first term of Eq. (25) becomes

$$\frac{1}{\sqrt{\pi}} \int_{-\theta/\sqrt{2\Sigma}}^{\infty} \exp(-q^2) dq = \frac{1}{\sqrt{2\pi}} \int_{-\theta/\sqrt{\Sigma}}^{\infty} \exp\left(-\frac{a^2}{2}\right) da = N\left(\frac{\theta}{\sqrt{\Sigma}}\right) = N(a_1)
 \tag{26}$$

where  $a_1 = \theta/\sqrt{\Sigma}$  and  $N(\cdot)$  is the cumulative probability distribution function for a standardized normal random variable.

For the second term of Eq. (25),  $-\theta - q\sqrt{2\Sigma} - q^2 = -\log \Theta - (\Sigma/2) - a\sqrt{\Sigma} - (a^2/2) = \log 1/\Theta - (1/2)[a^2 + 2a\sqrt{\Sigma} + (\sqrt{\Sigma})^2] = \log 1/\Theta - 1/2(a + \sqrt{\Sigma})^2$ . So the integrand of the second term is  $\exp(-\theta - q\sqrt{2\Sigma} - q^2) = \exp[\log 1/\Theta - (1/2)(a + \sqrt{\Sigma})^2] = 1/\Theta \exp[-1/2(a + \sqrt{\Sigma})^2]$ . Substituting it into the second term of Eq. (25) and simplifying, we have

$$\begin{aligned}
 \frac{1}{\sqrt{\pi}} \int_{-\theta/\sqrt{2\Sigma}}^{\infty} \exp(-\theta - q\sqrt{2\Sigma} - q^2) dq &= \frac{1}{\Theta\sqrt{2\pi}} \int_{-\infty}^{a_1} \exp\left[-\frac{1}{2}(a + \sqrt{\Sigma})^2\right] da \\
 &= \frac{1}{\Theta\sqrt{2\pi}} \int_{-\infty}^{a_2} \exp\left[-\frac{b^2}{2}\right] db = \frac{1}{\Theta} N(a_2)
 \end{aligned}
 \tag{27}$$

where  $b = a + \sqrt{\Sigma}$  and  $a_2 = a_1 - \sqrt{\Sigma}$ . Combining Eqs. (26) and (27), we have

$$u(\theta, \Sigma) = N(a_1) - \frac{1}{\Theta} N(a_2)
 \tag{28}$$

$$\text{or } \Phi(\Theta, \Sigma) = \Theta u(\theta, \Sigma) = \Theta N(a_1) - N(a_2)
 \tag{29}$$

Note that  $\Theta \equiv P_s/XP_b$  and  $c(P_s, P_b, \tau; X) \equiv XP_b C(\Theta, \tau; X) \equiv XP_s \Phi(\Theta, \Sigma)$ . By the linear homogeneity property of  $c \equiv call_O$ , the price of a European call is

$$c = XP_s[\Theta N(a_1) - N(a_2)] = P_s N(a_1) - XP_b N(a_2)
 \tag{30}$$

where  $a_1 = \theta/\sqrt{\Sigma} = [\log \Theta + (\Sigma/2)]/\sqrt{\Sigma}$  and  $a_2 = a_1 - \sqrt{\Sigma} = [\log \Theta - (\Sigma/2)]/\sqrt{\Sigma}$ . Further,  $\Sigma$  is given by

$$\Sigma \equiv \int_t^T \sigma_{\Theta}^2(\varphi) d\varphi = \int_t^T [\sigma_s^2 + \sigma_b^2 - 2\rho\sigma_s\sigma_b] d\varphi = \sigma_s^2\tau + \sigma^2\tau^3 - 2\rho\sigma_s\sigma\tau^2.$$

By put-call parity, the price  $p \equiv p(P_s, P_b, \tau; X) \equiv put_O$  of a European put is

$$p = c - P_s + XP_b = XP_b N(-a_2) - P_s N(-a_1)
 \tag{31}$$

<sup>7</sup> Detailed derivation of Eq. (24) can be obtained from the first author upon request.

Table 1  
Prices for out-of-the-money calls when the short rate at initial time  $t$  is 0.06.

$\tau$	$\rho$	$\alpha$	$\sigma$	$call_O$	$call_{BS}$	$\Delta$	$\Delta\%$
0.25	0.2	0.002	0.02	0.0345	0.0351	0.0006	1.7
	0.2	0.002	0.08	0.0330	0.0351	0.0021	6.4
	0.2	0.008	0.02	0.0346	0.0351	0.0005	1.4
	0.2	0.008	0.08	0.0331	0.0351	0.0020	6.0
	0.8	0.002	0.02	0.0326	0.0351	0.0025	7.7
	0.8	0.002	0.08	0.0257	0.0351	0.0094	36.6
	0.8	0.008	0.02	0.0327	0.0351	0.0024	7.3
	0.8	0.008	0.08	0.0258	0.0351	0.0093	36.0
0.75	0.2	0.002	0.02	0.4044	0.4128	0.0084	2.1
	0.2	0.002	0.08	0.3906	0.4128	0.0222	5.7
	0.2	0.008	0.02	0.4090	0.4128	0.0038	0.9
	0.2	0.008	0.08	0.3951	0.4128	0.0177	4.5
	0.8	0.002	0.02	0.3705	0.4128	0.0423	11.4
	0.8	0.002	0.08	0.2550	0.4128	0.1578	61.9
	0.8	0.008	0.02	0.3749	0.4128	0.0379	10.1
	0.8	0.008	0.08	0.2587	0.4128	0.1541	59.6

Note that  $P_s = 15$ ,  $X = 20$ ,  $\sigma_s = 0.3$ ,  $call_O$  = call price for our model,  $call_{BS}$  = call price for B–S model,  $\Delta = call_{BS} - call_O$ ,  $\Delta\% = 100\Delta/call_O$ , and  $\tau$  = time to maturity (in year).

If the short rate is constant (i.e.,  $\alpha$  and  $\sigma$  in Eq. (1) are both 0), then the bond price in Eq. (6) is  $P_b(r,t,T) = \exp(-r\tau)$  and  $\Sigma = \int_t^T \sigma_s^2 d\varphi = \sigma_s^2 \tau$ . Substituting them into Eqs. (30) and (31), we obtain the B–S formulas for European call and put options.

$$c_{BS} \equiv call_{BS} = P_s N(d_1) - X \exp(-r\tau) N(d_2) \tag{32}$$

$$p_{BS} \equiv put_{BS} = X \exp(-r\tau) N(-d_2) - P_s N(-d_1) \tag{33}$$

where  $d_1 = (\log P_s - \log X + (r + \sigma_s^2/2)\tau) / \sigma_s \sqrt{\tau}$  and  $d_2 = d_1 - \sigma_s \sqrt{\tau}$ .

### 3. Effect of the parameters on option price and pricing biases in the B–S model

For a non-dividend-paying stock, the prices for its European puts and calls are connected by put-call parity.<sup>8</sup> As such, for space reason, we focus only on analyzing calls. We point out how the various parameters affect call price and then investigate the pricing biases in the B–S model. We focus on out-of-the-money, at-the-money, and in-the-money calls when the short rate<sup>9</sup> at initial time is 0.06. To examine call prices under different but reasonable parameterizations of the short rate, we set  $\alpha = 0.002$  and  $0.008$ ,  $\sigma = 0.02$  and  $0.08$ ,  $\rho = 0.2$  and<sup>10</sup>  $0.8$ , and  $\tau = 0.25$  and  $0.75$  year.

From Eqs. (6) and (30), we note that each of the parameters exerts different degree of effect on the call price  $c$ . Specifically,  $c$  increases as  $\rho$  or  $\sigma$  decreases and decreases as  $\rho$  or  $\sigma$  increases; on the other hand,  $c$  increases as  $r(t)$ ,  $\alpha$ , or  $\tau$  increases and decreases as  $r(t)$ ,  $\alpha$ , or  $\tau$  decreases. The reason that  $c$  increases as  $\rho$  decreases is as follows: given that  $\Sigma = \sigma_s^2 \tau + \sigma^2 \tau^3 - 2\rho \sigma_s \sigma \tau^2$  and  $\sigma^2 \tau^3 < 2\rho \sigma_s \sigma \tau^2$ , we have that  $\Sigma$  increases as  $\rho$  decreases and  $\Sigma$  decreases as  $\rho$  increases. Since  $c$  increases as  $\Sigma$  increases, call price increases as  $\rho$  decreases. The reason that  $c$  increases as  $\tau$  increases is as follows: given that  $\Sigma = \sigma_s^2 \tau + \sigma^2 \tau^3 - 2\rho \sigma_s \sigma \tau^2$  and  $-r\tau_1 - (\alpha\tau_1^2/2) + (\sigma^2\tau_1^3/6) > -r\tau_2 - (\alpha\tau_2^2/2) + (\sigma^2\tau_2^3/6)$  for  $\tau_1 < \tau_2$ , we have that  $\Sigma$  increases as  $\tau$  increases and  $P_b$  decreases as  $\tau$  increases. Since  $c$  increases as  $\Sigma$  increases and/or  $P_b$  decreases, call price increases as  $\tau$  increases. Similar reasoning can be made for the other three parameters.

Table 1 shows the prices based on Eq. (30) and the B–S prices based on Eq. (32) for out-of-the-money ( $P_s = 15 < X = 20$ ) calls. Based on Eq. (30), the B–S model overvalues out-of-the-money calls. For example,

<sup>8</sup> This parity relationship between call and put prices was first pointed out by Stoll [25].

<sup>9</sup> Similar results can be obtained for call options when  $r(t) = 0.02$  or  $0.10$ .

<sup>10</sup> Note that stock and bond prices tend to increase as interest rates decrease and to decrease as interest rates increase. Hence, stock and bond prices are generally positively correlated, which means  $\rho > 0$ .

Table 2  
Prices for at-the-money calls when the short rate at initial time  $t$  is 0.06.

$\tau$	$\rho$	$\alpha$	$\sigma$	$call_O$	$call_{BS}$	$\Delta$	$\Delta\%$
0.25	0.2	0.002	0.02	1.3385	1.3416	0.0031	0.2
	0.2	0.002	0.08	1.3289	1.3416	0.0127	1.0
	0.2	0.008	0.02	1.3403	1.3416	0.0013	0.1
	0.2	0.008	0.08	1.3308	1.3416	0.0108	0.8
	0.8	0.002	0.02	1.3266	1.3416	0.0150	1.1
	0.8	0.002	0.08	1.2802	1.3416	0.0614	4.8
	0.8	0.008	0.02	1.3285	1.3416	0.0131	1.0
	0.8	0.008	0.08	1.2821	1.3416	0.0595	4.6
0.75	0.2	0.002	0.02	2.4797	2.4918	0.0121	0.5
	0.2	0.002	0.08	2.4529	2.4918	0.0389	1.6
	0.2	0.008	0.02	2.4964	2.4918	-0.0046	-0.2
	0.2	0.008	0.08	2.4697	2.4918	0.0221	0.9
	0.8	0.002	0.02	2.4189	2.4918	0.0729	3.0
	0.8	0.002	0.08	2.1935	2.4918	0.2983	13.6
	0.8	0.008	0.02	2.4358	2.4918	0.0560	2.3
	0.8	0.008	0.08	2.2108	2.4918	0.2810	12.7

Note that  $P_s = 15$ ,  $X = 20$ ,  $\sigma_s = 0.3$ ,  $call_O$  = call price for our model,  $call_{BS}$  = call price for B–S model,  $\Delta = call_{BS} - call_O$ ,  $\Delta\% = 100\Delta/call_O$ , and  $\tau$  = time to maturity (in year).

when  $\tau = 0.25$ ,  $\rho = 0.2$ ,  $\alpha = 0.002$ ,  $\sigma = 0.02$ ,  $call_O = 0.0345$  and  $call_{BS} = 0.0351$ , which results in a dollar difference  $\Delta = call_{BS} - call_O = 0.0006$  and a percentage difference  $\Delta\% = 100\Delta/call_O = 1.7$ . This overvaluation phenomenon is more pronounced for larger values of  $\tau$ ,  $\rho$ , or  $\sigma$ . For example, when  $\tau = 0.75$ ,  $\rho = 0.8$ ,  $\alpha = 0.002$ ,  $\sigma = 0.08$ ,  $call_O = 0.2550$  and  $call_{BS} = 0.4128$ . That is,  $\Delta = 0.1578$  and  $\Delta\% = 61.9$ .

Table 2 shows the two prices for at-the-money ( $P_s = 20 = X = 20$ ) calls. Except for one case, the B–S model moderately overvalues at-the-money calls. For example, when  $\tau = 0.75$ ,  $\rho = 0.2$ ,  $\alpha = 0.002$ ,  $\sigma = 0.02$ ,  $call_O = 2.4797$  and  $call_{BS} = 2.4918$ . That is,  $\Delta = 0.0121$  and  $\Delta\% = 0.5$ . This overvaluation phenomenon becomes more evident for larger  $\tau$ ,  $\rho$ , or  $\sigma$ . Table 3 shows the two prices for in-the-money ( $P_s = 25 > X = 20$ ) calls. Except for a few cases, the B–S model slightly overvalues in-the-money calls. For example, when  $\tau = 0.25$ ,  $\rho = 0.8$ ,  $\alpha = 0.002$ , and  $\sigma = 0.02$ ,  $call_O = 5.3735$  and  $call_{BS} = 5.3773$ . That is,  $\Delta = 0.0038$  and  $\Delta\% = 0.1$ .

Table 3  
Prices for in-the-money calls when the short rate at initial time  $t$  is 0.06.

$\tau$	$\rho$	$\alpha$	$\sigma$	$call_O$	$call_{BS}$	$\Delta$	$\Delta\%$
0.25	0.2	0.002	0.02	5.3772	5.3773	0.0001	0.0
	0.2	0.002	0.08	5.3740	5.3773	0.0033	0.1
	0.2	0.008	0.02	5.3806	5.3773	-0.0033	-0.1
	0.2	0.008	0.08	5.3774	5.3773	-0.0001	-0.0
	0.8	0.002	0.02	5.3735	5.3773	0.0038	0.1
	0.8	0.002	0.08	5.3597	5.3773	0.0176	0.3
	0.8	0.008	0.02	5.3770	5.3773	0.0003	0.0
	0.8	0.008	0.08	5.3632	5.3773	0.0141	0.3
0.75	0.2	0.002	0.02	6.3195	6.3227	0.0032	0.1
	0.2	0.002	0.08	6.2981	6.3227	0.0246	0.4
	0.2	0.008	0.02	6.3460	6.3227	-0.0233	-0.4
	0.2	0.008	0.08	6.3246	6.3227	-0.0019	-0.0
	0.8	0.002	0.02	6.2801	6.3227	0.0426	0.7
	0.8	0.002	0.08	6.1423	6.3227	0.1804	2.9
	0.8	0.008	0.02	6.3069	6.3227	0.0158	0.3
	0.8	0.008	0.08	6.1702	6.3227	0.1525	2.5

Note that  $P_s = 15$ ,  $X = 20$ ,  $\sigma_s = 0.3$ ,  $call_O$  = call price for our model,  $call_{BS}$  = call price for B–S model,  $\Delta = call_{BS} - call_O$ ,  $\Delta\% = 100\Delta/call_O$ , and  $\tau$  = time to maturity (in year).



#### 4. Conclusion

Previous option pricing studies typically assume that the short rate is constant over the life of the option. In reality, the short rate is evolving randomly through time. This study derives explicit pricing formulas for European call and put on a stock when the short rate follows the Merton model. Our analysis indicates that each parameter in our option valuation model exerts different degree of effect on the call price. In addition, using our model as a benchmark, our analysis suggests that, in general, the B–S model overvalues out-of-the-money calls, moderately overvalues at-the-money calls, and slightly overvalues in-the-money calls. Our analysis is directly extensible to American calls on non-dividend-paying stocks and to European puts by virtue of put-call parity.

#### Acknowledgements

We are grateful to Professor Robert Beauwens and an anonymous reviewer for their valuable comments which have improved substantially our paper. We would like to thank Andrew Carverhill and Alan Wong for helpful comments and suggestions.

#### References

- [1] F. Black, Fact and fantasy in the use of options, *Financial Analysts Journal* 31 (4) (1975) 36–72.
- [2] F. Black, M. Scholes, The pricing of options and corporate liabilities, *Journal of Political Economy* 81 (1973) 637–659.
- [3] J.W. Brown, R.V. Churchill, *Fourier Series and Boundary Value Problems*, fifth edition, McGraw-Hill, New York, 1993.
- [4] K.C. Chan, G.A. Karolyi, F.A. Longstaff, A.B. Sanders, An empirical comparison of alternative models of the short-term interest rate, *Journal of Finance* 47 (3) (1992) 1209–1227.
- [5] J.C. Cox, S.A. Ross, The valuation of options for alternative stochastic processes, *Journal of Financial Economics* 3 (1976) 145–166.
- [6] J.C. Cox, S.A. Ross, M. Rubinstein, Option pricing: a simplified approach, *Journal of Financial Economics* 7 (1979) 229–263.
- [7] J.C. Duan, The GARCH option pricing model, *Mathematical Finance* 5 (1) (1995) 13–32.
- [8] R. Geske, The valuation of compound options, *Journal of Financial Economics* 7 (1979) 63–81.
- [9] S.L. Heston, S. Nandi, A closed-form GARCH option valuation model, *Review of Financial Studies* 13 (3) (2000) 585–625.
- [10] J.C. Hull, A. White, The pricing of options on assets with stochastic volatilities, *Journal of Finance* 42 (1987) 281–300.
- [11] R. Jarrow, A. Rudd, Approximate option valuation for arbitrary stochastic processes, *Journal of Financial Economics* 10 (1982) 347–369.
- [12] H. Johnson, D. Shanno, Option pricing when the variance is changing, *Journal of Financial and Quantitative Analysis* 22 (1987) 143–151.
- [13] H. Johnson, R. Stulz, The pricing of options with default risk, *Journal of Finance* 42 (1987) 267–280.
- [14] B. Lauterbach, P. Schultz, Pricing warrants: an empirical study of the Black–Scholes model and its alternatives, *Journal of Finance* 4 (4) (1990) 1181–1210.
- [15] W.Y. Lee, K.S. Rao, J.F.G. Auchmuty, Option pricing in a lognormal securities market with discrete trading, *Journal of Financial Economics* 9 (1981) 75–101.
- [16] J.D. MacBeth, L.J. Merville, An empirical examination of the Black–Scholes call option pricing model, *Journal of Finance* 34 (1979) 1173–1186.
- [17] J.D. MacBeth, L.J. Merville, Tests of the Black–Scholes and Cox call option valuation models, *Journal of Finance* 35 (2) (1980) 285–301.
- [18] W. Margrabe, The value of an option to exchange one asset for another, *Journal of Finance* 33 (1978) 177–186.
- [19] R.C. Merton, A dynamic general equilibrium model of the asset market and its application to the pricing of the capital structure of the firm, Working Paper No. 497, Sloan School of Management, MIT, Cambridge, 1970.
- [20] R.C. Merton, Theory of rational option pricing, *Bell Journal of Economics and Management Science* 4 (1973) 141–183.
- [21] R.C. Merton, Option pricing when underlying stock returns are discontinuous, *Journal of Financial Economics* 3 (1976) 125–144.
- [22] R. Roll, An analytical formula for unprotected American call options on stocks with known dividends, *Journal of Financial Economics* 5 (1977) 251–258.
- [23] M. Rubinstein, Displaced diffusion option pricing, *Journal of Finance* 38 (1) (1983) 213–217.
- [24] L.O. Scott, Option pricing when the variance changes randomly: theory, estimation, and an application, *Journal of Financial and Quantitative Analysis* 22 (4) (1987) 419–437.
- [25] H.R. Stoll, The relationship between put and call option prices, *Journal of Finance* 24 (1969) 802–824.
- [26] R. Whaley, On the valuation of American call options on stocks with known dividends, *Journal of Financial Economics* 9 (1981) 207–211.
- [27] J. Wiggins, Option values under stochastic volatility: theory and empirical estimates, *Journal of Financial Economics* 19 (1987) 351–372.